

© This drawing is copyright. No part of this document may be re-produced or transmitted in any form or stored in any retrieval system of any nature without the written permission of the copyright holder, except as agreed for used on a project, for which the document was originally issued.

SITE SERVICES – ELEMENT 50

- NO SERVICE CONNECTION SHALL CROSS THE PUBLIC ROAD TO REACH ETU.
- THE LOCATION OF THE SERVICES ARE INDICATIVE ONLY AND SUBJECT TO APPROVAL FROM THE RELATIVE SERVICE PROVIDERS AND STATUTORY BODIES.
- THE ILLUSTRATED POSITION OF THE EXISTING WORKS IS SITE SPECIFIC AND SHALL BE DETERMINED ON SITE BY THE ENGINEERS REPRESENTATIVE.
- THE INFORMATION ON THIS DRAWING IS COMPILED FROM RECORDS SUPPLIED TO THE ENGINEER.
- ANY DEPARTURES FROM ROUTES SHOWN ON THIS DRAWING TO BE AGREED WITH THE ENGINEER.
- IT WILL BE RESPONSIBILITY OF THE CONTRACTOR TO LOCATE ALL SERVICES BY HAND EXCAVATION PRIOR TO CONSTRUCTION OR ANY MECHANICAL EXCAVATION.
- IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO PROTECT, PRESERVE AND REINSTATE ALL SERVICES TO THE REQUIREMENTS OF THE RESPECTIVE UTILITIES.
- FINAL POSITION OF ALL BOUNDARY BOXES, CHAMBERS, MAN HOLES, ABOVE GROUND PILLARS & CABINETS TO BE AGREED WITH THE LANDSCAPE ARCHITECT.
- GAS MAIN (4 BAR) TO BE MAINTAINED A MINIMUM OF 3 METERS FROM DWELLINGS AT ALL TIMES.
- ALL ESB & STREET LIGHTING STRICTLY IN ACCORDANCE WITH ESB GUIDELINE INCLUDING SEPARATION DISTANCES BETWEEN PILLAR'S AND OTHER SERVICES
- ALL SERVICES BOXES, MANHOLE CHAMBERS, ABOVE GROUND PILLARS & CABINETS TO BE POSITIONED ON PUBLIC LAND.

SITE SERVICES LEGEND – ELEMENT 50

PL	1000 RED PUBLIC LIGHTING DUCT
ESB	ESB Ø125 RED DUCT
ESB	LIGHTING LED DRIVER ENCLOSURE TBC
PC	PUBLIC LIGHTING CHAMBER
ESB	ESB MINI PILLAR
REX	ESB METER CABINET
Handrail	HAND RAIL HEIGHT : HAND RAIL HEIGHT QUANTITY : 473
Make & Model	MAKE & MODEL : UNI 2200K HANDRAIL LIGHT

COLOUR 2200K




FIG 1: BRIDGE HAND RAIL SECTION



FIG 1: BRIDGE HAND RAIL SAMPLE

P1	21.05.25	ISSUED FOR PLANNING			
P0	29.04.25	ISSUED FOR PLANNING			
Rev:	Date:	Note:			

Avoncot House,
Riverwalk,
Arklow
Co Wicklow
0402 20612
info@fallondesign.ie
www.fallondesign.ie

Architect:
CONROY CROWE KELLY
Architects & Urban Designers

Project:
MIXED USE RESIDENTIAL & COMMERCIAL
DEVELOPMENT AT KILBRIDE, ARKLOW,
CO. WICKLOW

Scale @ A1:	Date:	Drawn by:	Checked by:	Approved by:
1:500	APR 2025	MS	KZ	

Dwg: SITE SERVICES - PUBLIC LIGHTING
BOARD WALK SHEET 1 OF 2

Dwg No:	PROJECT IDENTIFICATION	ORIGINATOR	SYSTEM	SERIAL	FILE TYPE	ROLE	SEQUENCE	Revision:
2290-FDE-EE-SS-50-07								P1

Issue:	Project No:
PLANNING	2290